de

Sicherheitsbeurteilung

Polyspezifische Testreagenzien

Anti-Shigella

Monospezifische / gruppenspezifische Testreagenzien

Anti-Shigella

gemäß Verordnung (EG) Nr. 1907/2006
Stand von: 2022-09-15, Ersetzt Ausgabe von: 2020-05-27

Artikelnummer

Spezifität	REF	Spezifität	REF
Anti-Shigella I Gruppe B+D	TR1811 TR1811-01	Anti-Shigella flexneri Typ 3	TS2005
Anti-Shigella II Gruppe A	TS1821 TS1821-01	Anti-Shigella flexneri Typ 4	TS2006
Anti-Shigella III Gruppe C	TS1831	Anti-Shigella flexneri Typ 5	TS2007
Anti-Shigella flexneri Gruppe B	TS1901	Anti-Shigella flexneri Typ 6	TS2008
Anti-Shigella sonnei S-Form und F-Form (Phase I und II) Gruppe D	TR2014	Anti-Shigella flexneri Gruppe 6	TS2010
Anti-Shigella dysenteriae Typ 1	TS2001	Anti-Shigella flexneri Gruppe 7,8 (x)	TS2011
Anti-Shigella dysenteriae Typ 2	TS2002	Anti-Shigella sonnei S-Form (Phase I)	TR2012
Anti-Shigella flexneri Typ 1	TS2003	Anti-Shigella sonnei F-Form (Phase II)	TR2013
Anti-Shigella flexneri Typ 2	TS2004		

Verwendungszweck

Labortestreagenzien für die Objektträgeragglutination.

Firmenbezeichnung

sifin diagnostics gmbh
Berliner Allee 317-321
13088 Berlin, Deutschland

Kontaktstelle für technische Information

Mo - Do: 7.30 - 16.15 Uhr, Fr: 7.30 - 15.00 Uhr
Telefon: +49 30 700 144-0
Telefax: +49 30 700 144-30
E-Mail: info@sifin.de

Einstufung des Gemischs

Das Produkt ist nicht als gefährlich eingestuft. Warnhinweise und Vorsichtsmaßnahmen aus der Gebrauchsanweisung beachten.

Erstellung eines Sicherheitsdatenblattes gemäß Artikel 31 Verordnung (EG) Nr. 1907/2006 (REACH)

Die Erstellung eines Sicherheitsdatenblattes ist für dieses Produkt nicht erforderlich, da das Produkt weder als Gefahrstoff eingestuft ist noch gefährliche Bestandteile oder Stoffe mit gemeinschaftlichen (EG) Arbeitsplatz-grenzwerten oder besonders besorgniserregende Stoffe (SVHC) oberhalb ihrer jeweiligen gesetzlichen Nenngrenzen enthält. Es ist folglich gemäß Verordnung (EG) Nr. 1907/2006 (REACH) kein Sicherheitsdatenblatt notwendig und in diesem Fall auch nicht verfügbar.

en

Safety assessment

Polyspecific test reagents
Anti-Shigella

Monospecific / group-specific test reagents
Anti-Shigella

According to Regulation (EC) No. 1907/2006
Issue date: 2022-09-15, Replaces version: 2020-05-27

Article number

Specificity	REF	Specificity	REF
Anti-Shigella I Group B+D	TR1811 TR1811-01	Anti-Shigella flexneri Type 3	TS2005
Anti-Shigella II Group A	TS1821 TS1821-01	Anti-Shigella flexneri Type 4	TS2006
Anti-Shigella III Group C	TS1831	Anti-Shigella flexneri Type 5	TS2007
Anti-Shigella flexneri Group B	TS1901	Anti-Shigella flexneri Type 6	TS2008
Anti-Shigella sonnei S-form and F-form (Phase I and II) Group D	TR2014	Anti-Shigella flexneri Group 6	TS2010
Anti-Shigella dysenteriae Type 1	TS2001	Anti-Shigella flexneri Group 7,8 (x)	TS2011
Anti-Shigella dysenteriae Type 2	TS2002	Anti-Shigella sonnei S-form (phase I)	TR2012
Anti-Shigella flexneri Type 1	TS2003	Anti-Shigella sonnei F-form (phase II)	TR2013
Anti-Shigella flexneri Type 2	TS2004		

Intended use

Laboratory test reagents for slide agglutination.

Name of supplier

sifin diagnostics gmbh
Berliner Allee 317-321
13088 Berlin, Germany

Contact for technical information

Mo - Th: 7.30 a.m. - 16.15 p.m., Fr: 7.30 a.m. - 15.00 p.m.
Phone: +49 30 700 144-0
Telefax: +49 30 700 144-30
E-mail: info@sifin.de

Classification of the mixture

This product is classified as not hazardous. Observe the warnings and precautions in the instructions for use.

Drawing up a safety data sheet according to Article 31 (EC) of the REACH Regulation no. 1907/2006

Drawing up a safety data sheet for this product is unnecessary, as the product is neither classified as a hazardous material nor does it contain hazardous ingredients or materials with Community (EC) workplace exposure limits or substances of very high concern (SVHC) above their particular legal nominal limits. Under REACH Regulation (EC) no. 1907/2006 (REACH), no safety data sheet is therefore required and also not available in this case.